












Product Overview Power entry modules without line filter

www.schurter.com/en/pg05



	Type	Mounting method Side	Plug Outlet	Terminals	Protection class			
Rated Current AC max IEC UL: 2.5 A 2.5 A								
	CMF1, CMF4 IEC Appliance Inlet C8 with Line Switch 1-pole	Screw Rear Side	C8 -	PCB	IP40			
	CMF1 IEC Appliance Inlet C8 with Line Switch 1-pole	Screw Rear Side	C8 -	PCB	IP40			
	CMF2 IEC Appliance Inlet C8 polarized with Line Switch 1-pole	Snap-in or screw-on Rear Side	C8p -	PCB	IP40			
	CMF2, CMF5 IEC Appliance Inlet C8 polarized with Line Switch 1-pole	Snap-in or screw-on Rear Side	C8p -	PCB	IP40			
	CMF3, CMF6 IEC Appliance Inlet C6 with Line Switch 1-pole	Snap-in or screw-on Rear Side	C6 -	PCB	IP40			
	CMF3 IEC Appliance Inlet C6 with Line Switch 1-pole	Snap-in or screw-on Rear Side	C6 -	PCB	IP40			
Rated Current AC max IEC UL: 10 A 10 A								
	DD11 IEC Appliance Inlet C14 with Line Switch 2-pole, Fuseholder 1- or 2-pole	Screw Front-/Rear-Side	C14 -	Quick-Connect	IP40		•	•
	DD21 IEC Appliance Inlet C14 with Line Switch 2-pole, Fuseholder 1- or 2-pole, for PCB mounting,	Screw Rear Side	C14 -	PCB	IP40		•	•
	KM IEC Appliance Inlet C14 or C18 with Fuseholder 2-pole, Line Switch 1- or 2-pole	Snap-in Front Side	C14 C18 -	Quick-Connect	IP40			•














Power entry modules without line filter (PG05)

	Type	Mounting method Side	Plug Outlet	Terminals	Protection class	V-Lock		
	KD IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole, Line Switch 2-pole and Voltage Selector	Snap-in or screw-on Front-/Rear-Side	C14 -	Quick-Connect	IP40	•	•	
	KG IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole, Line Switch 2-pole and Voltage Selector	Snap-in or screw-on Front-/Rear-Side	C14 -	Quick-Connect	IP40	•	•	
	6765 IEC Appliance Inlet C14 or C18 with Line Switch 2 pole and Fuseholder 1- or 2-pole	Screw Front-/Rear-Side	C14 C18 -	Solder or Quick-Connect	IP20			•
	6762 IEC Appliance Inlet C14 or C18 with Line Switch 1- or 2-pole and Fuseholder 1-pole	Snap-in or screw-on Front Side	C14 C18 -	Solder or Quick-Connect	IP40			•
	KP (Outlet) IEC Appliance Inlet C14 with Appliance Outlet F	Sandwich -	C14 F	PCB	IP40			
	KP (FH) IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole (5x20 mm)	Sandwich -	C14 -	PCB	IP40	•	•	
	Felcom 64 IEC Appliance Inlet C14 with modular extended Components	Snap-in Front Side	C14 F	Solder or Quick-Connect	-			•
	6250 / 6255 IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole, mates to Felcom	Snap-in Front Side	C14 -	Solder	IP40			•
	GSF1 IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole	Sandwich -	C14 -	PCB	IP40	•	•	
	GSF2 IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole	Snap-in Front Side	C14 C18 -	Quick-Connect	IP40	•	•	



Power entry modules without line filter (PG05)

	Type	Mounting method Side	Plug Outlet	Terminals	Protection class	V-Lock 		
	KEA IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole	Snap-in or screw-on Front-/Rear-Side	C14 C18 -	Quick-Connect	IP40	•	•	
	KEA-Print IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole for PCB	Snap-in or screw-on Front-/Rear-Side	C14 C18 -	PCB	IP40	•	•	
	6200 IEC Appliance Inlet C14 with Fuseholder 1-pole, wired	Snap-in or screw-on Front-/Rear-Side	C14 -	Solder or Quick-Connect	IP40	•	•	
	6202 IEC Appliance Inlet C18 with Fuseholder 1-pole	Snap-in or screw-on Front-/Rear-Side	C18 -	Solder or Quick-Connect	IP40	•	•	
	6205 IEC Appliance Inlet C14 with Fuseholder 1-pole, unwired	Snap-in or screw-on Front-/Rear-Side	C14 -	Solder or Quick-Connect	IP40	•	•	
	1062 IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole	Screw Front Side	C14 -	Solder or Quick-Connect	IP20		•	
	1064 IEC Appliance Inlet C14 or C18 with Fuseholder 1- or 2-pole	Snap-in Front Side	C14 C18 -	Solder or Quick-Connect	IP20		•	
	6220 IEC Appliance Inlet C14 with Fuseholder 2-pole	Snap-in or screw-on Front-/Rear-Side	C14 -	Solder or Quick-Connect	IP40		•	
	4707 IEC Appliance Inlet C14 or C18 with Fuseholder 1- or 2-pole	Screw Front-/Rear-Side	C14 C18 -	Solder or Quick-Connect	IP40	•	•	
	8842/8843 IEC Appliance Inlet C14 with Fuseholder 2-pole	Screw Front Side	C14 C18 -	Quick-Connect	IP40		•	



Power entry modules without line filter (PG05)

	Type	Mounting method Side	Plug Outlet	Terminals	Protection class	V-Lock		
	4719 IEC Appliance Outlet F Shuttered with Fuseholder 1-pole	Snap-in Front Side	- F	Solder	IP40		•	
	KEC IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole and Voltage Selector	Snap-in or screw-on Front-/Rear-Side	C14 -	Quick-Connect	IP40	•	•	
	KE IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole and Voltage Selector	Snap-in or screw-on Front-/Rear-Side	C14 -	Quick-Connect	IP40	•	•	
	6250_6255 IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole, mates to Felcom	Snap-in Front Side	C14 -	Solder	IP 40			•
Rated Current AC max IEC UL: 10 A 15 A								
 <small>new</small>	DG11 IEC Appliance Inlet C14 or C18 with Circuit Breaker TA35 2-pole	Snap-in or screw-on Front-/Rear-Side	C14 C18 -	Quick-Connect	IP40 or IP67		•	
	DF11 IEC Appliance Inlet C14 or C18 with recessed Circuit Breaker TA45	Snap-in or screw-on Front-/Rear-Side	C14 C18 -	Quick-Connect	IP40		•	
	DC11 IEC Appliance Inlet C14 or C18 with Line Switch 1- or 2-pole	Snap-in or screw-on Front-/Rear-Side	C14 C18 -	Quick-Connect	IP40	•	•	
	KEB2 IEC Appliance Inlet C14 with Line Switch 2-pole	Snap-in or screw-on Front-/Rear-Side	C14 -	Quick-Connect	IP40			
	DC21 IEC Appliance Inlet C14 with Line Switch 2-pole	Screw Rear Side	C14 -	PCB	IP40		•	
	6135 IEC Appliance Inlet C14 with Circuit Breaker TA35 2-pole	Snap-in Front Side	C14 -	Quick-Connect	IP40		•	



Power entry modules without line filter (PG05)

	Type	Mounting method Side	Plug Outlet	Terminals	Protection class	V-Lock		
	6145 IEC Appliance Inlet C14 with Circuit Breaker TA45	Screw Front Side	C14 -	Quick-Connect	IP40			
	KP (Switch) IEC Appliance Inlet C14 with Line Switch 1- or 2-pole	Sandwich -	C14 -	PCB	IP40	•		
	6050 Line Switch, fits to Felcom	Snap-in Front Side	- -	Solder	IP40			
	KEB1 IEC Appliance Inlet C14 with Line Switch 1-pole	Snap-in or screw-on Front-/Rear-Side	C14 -	Quick-Connect	IP40			
Phase Out								
Rated Current AC max IEC UL: 16 A 20 A								
	EF11 IEC Appliance Inlet C20 with Circuit Breaker TA45	Snap-in or screw-on Front-/Rear-Side	C20 -	Quick-Connect	IP40	•		
	EC11 IEC Appliance Inlet C20 with Line Switch, 2-pole	Snap-in or screw-on Front-/Rear-Side	C20 -	Quick-Connect	IP40	•	•	
	6136 IEC Appliance Inlet C20 with Circuit Breaker TA35 1-pole	Snap-in or screw-on Front Side	C20 -	Quick-Connect	IP40	•		